COLLECTION

# ASCOT RUGS HANDWOVEN POLYPROPYLENE









# ASCOT

CONSTRUCTION Handwoven COMPOSITION Polypropylene STOCK SIZES (cm) 250 x 350 CUSTOM OPTIONS Not available PILE TYPE Handwoven THICKNESS: Approx. 10 mm EDGE FINISH: Overlocked USE PURPOSE Outdoor or Indoor SUITABILITY Residential



/ORY

AUPE

#### CARE

Vacuum regularly. Clean spills immediately. Never rub a spill, instead blot any liquids with a dry absorbent white cloth or paper towel. Some stains may be cleaned with a mild clear detergent and lukewarm water. If the stain cannot be removed, seek specialist advice. Do not machine wash.

#### MANUFACTURING VARIATIONS

All rugs are made by hand which means there is a slight chance that variations in size and colour can occur. Up to 5% variation in size and colour is considered acceptable. Variations in pile height and total thickness of 1-2 mm are considered acceptable.

#### **PRODUCT CHARACTERISTICS**

**SHEDDING** Often new rugs begin to produce fluff as a result of loose fibres that remain in the rug after the manufacturing process. Vacuum regularly and this will reduce over time.

**SPROUTING** Occasionally loose yarn ends will rise above the pile surface. This is a characteristic of this particular weave. Strands can be safely trimmed to the surface when this occurs with a pair of sharp scissors.

**SHADING** All cut pile rugs are susceptible to exhibit characteristics of shading over time. This is the result of the reversal of pile direction during use causing areas of the rug to appear to have changed colour. This effect is not a manufacturing fault nor can it be prevented.



# GET IN TOUCH

### SHOWROOM LOCATIONS

MELBOURNE (03) 9421 5133

**SYDNEY** (02) 8338 0107



### HEAD OFFICE

(03) 8555 3584

4/80 Fairbank Road Clayton South VIC Australia 3169

EMAIL sales@therugcollection.com.a

#### ONLINE

therugcollection.com.au tallira.com.au

